

New drug candidate slows the progression of adrenoleukodystrophy

19/01/2023

The work of Professor Fanny Mochel (AP-HP, Sorbonne University) at Paris Brain Institute, in collaboration with clinical research teams in eight countries and Spanish biotech Minoryx Therapeutics, has demonstrated the protective effects of leriglitzone in the progression of adrenoleukodystrophy – a rare genetic disease in which the white matter of the central nervous system is damaged. The results are published in *The Lancet Neurology*.

Most rare neurodegenerative diseases suffer from a lack of effective treatments. This is also the case for X-linked adrenoleukodystrophy (or X-ALD), an inherited condition that affects 6 to 8 out of every 100,000 births. It is characterized by an excessive accumulation of very-long-chain fatty acids in various tissues, particularly in the brain, spinal cord, and adrenal glands.

By the time they reach adulthood, these patients present with degeneration of the spinal cord. As a result, they often develop adrenomyeloneuropathy (AMN), which causes chronic debilitating symptoms such as stiffness of the lower limbs and balance problems that increase the risk of falls. In addition, urinary symptoms are frequently present.

Changing the trajectory of the prognosis

The disease is progressive, and because it is linked to a mutation on the X sex chromosome, its most severe forms affect mostly males. It is estimated that one-third of boys and more than half of adult men affected by AMN also develop aggressive inflammation of the brain, called cerebral adrenoleukodystrophy (cALD), in which the myelin sheaths that surround the extensions of neurons are attacked. The flow of the nerve impulse is disrupted and leads to rapid cognitive and motor decline, which can be fatal within a few years.

Controlling the inflammation appears to be an avenue to slow down the evolution of the disease and reduce symptoms, since no pharmacological treatment exists at present. This is the path taken by Professor **Fanny Mochel** at Paris Brain Institute, in collaboration with European and American teams.

In ADVANCE, a randomized, double-blind, placebo-controlled study, researchers studied 116 adult male patients with clinical signs of adrenomyeloneuropathy for two years, in order to test the effectiveness of a new drug developed by the Spanish biotech Minoryx Therapeutics: leriglitzone. This molecule, a PPAR gamma agonist capable of penetrating the brain, regulates the expression of genes that contribute to the neuroinflammation and neurodegeneration related to the disease.

Promising results

At the end of ADVANCE phase II/III, the researchers found that taking leriglitzone daily reduced the progression of certain key symptoms – such as gait imbalance – and, remarkably, decreased the risk of cALD, the acute cerebral form of the disease associated with premature death. Only subjects in the placebo group developed cALD, suggesting a protective effect of the drug.

Furthermore, daily use of leriglitzone only caused moderate side effects – mainly weight gain and superficial edema. This safety profile is therefore likely to promote adherence to treatment.

The study is now in an extension phase to confirm the ability of the molecule to delay the evolution of the disease. In addition, Professor Mochel's team is treating a dozen adults with cALD on a

compassionate basis and has observed a stabilization, sometimes even a regression, of brain lesions in these patients.

In view of these very encouraging results, a marketing authorization application for leriglitazone has been filed with the European Medicines Agency for the treatment of adult male patients with X-linked adrenoleukodystrophy.

Better monitoring for better treatment

There is a pressing need for an effective, minimally invasive treatment for the disease: currently, only hematopoietic stem cell transplantation (HSCT) has potential to treat cALD. HSCT is a cumbersome procedure which includes chemotherapy; it also requires finding a donor, which proves to be difficult: close relatives may carry the genetic anomaly present in X-linked adrenoleukodystrophy.

Today, the greatest challenge is to identify patients with X-linked adrenoleukodystrophy as early as possible and to follow them throughout their lives, notably via MRI imaging. To this end, Professor **Fanny Mochel** now coordinates a national surveillance network within the Reference Center for Leukodystrophies and Leukoencephalopathies based at the Pitié-Salpêtrière Hospital, in Paris.

Following the results of the ADVANCE study, leriglitazone will be evaluated for other indications in which it is likely to act on neuroinflammation, such as other forms of leukodystrophies.

Source

Köhler W, Engelen M, Eichler F, et al., ‘Safety and efficacy of leriglitazone for preventing disease progression in men with adrenomyeloneuropathy (ADVANCE): a randomised, double-blind, multi-centre, placebo-controlled phase 2/3 trial’, *The Lancet Neurology*, 2023; 22: 127–36.
Doi : [10.1016/PIIS1474-4422\(22\)00495-1](https://doi.org/10.1016/PIIS1474-4422(22)00495-1)

About

Paris Brain Institute

Created in 2010, Paris Brain Institute is an international scientific and medical research centre of excellence, located in Paris at the heart of the Pitié-Salpêtrière Hospital. Its innovative model brings together patients, doctors, researchers, and entrepreneurs with a common goal: to understand the brain and accelerate the discovery of new treatments for nervous system diseases. The Institute thus includes a network of more than 700 experts within 25 research teams, 10 cutting-edge technological platforms, a clinical investigation center, a training organization and more than 2000m² dedicated to incubating startups. The original model of the Brain Institute is based on the association of a joint research unit (AP-HP, Sorbonne University, Inserm and CNRS) and a private foundation, recognized as being of public utility, the ICM Foundation. institutducerveau-icm.org

Minoryx Therapeutics

Minoryx is a registration stage biotech company focusing on the development of novel therapies for orphan CNS diseases with high unmet medical needs. The company's lead program, leriglitazone (MIN-102), a novel, brain penetrant and selective PPAR gamma agonist, is being developed in X-linked Adrenoleukodystrophy (X-ALD) and other orphan CNS diseases. The company is backed by a syndicate of experienced investors, which includes Columbus Venture Partners, CDTI Invierte, Caixa Capital Risc, Fund+, Ysios Capital, Roche Venture Fund, Kurma Partners, Chiesi Ventures, S.R.I.W, Idivest Partners / Eurazeo, SFPI-FPIM, HealthEquity, Sambrinvest and Herrecha, and has support from a network of other organizations. Minoryx was founded in 2011, is headquartered in Spain with Belgian facilities and has so far raised more than €115 million.

www.minoryx.com

Press contacts

Paris Brain Institute

Marie Simon

+33 (0)6 61 07 48 90

marie.simon@icm-institute.org

Minoryx Therapeutics

Image Box Communications

Neil Hunter and Michelle Boxall

+44 (0)20 8943 4685

neil@ibcomms.agency – michelle@ibcomms.agency